

Coleman Air Diversión Controller Model C160M Version 4.3

With Extended Diversión Mode



Introduction

This diversion controller is the result of our many attempts to use the controllers currently on the market (offered by some of the largest names in the business), to work in conjunction with our wind turbines. None of these diversion controllers did what we needed a diversion controller to do. So we designed our own -- and added all of the features that are truly needed in a diversion controller.

Some of the key features of this controller are:

- **Microprocessor controlled** -- This is very important for both stability and functionality.
- **User changeable settings** -- Several controllers on the market set the dump level, and that's that!
- **High amp rating** - 160 amps with the two 80 amp preinstalled relays.
- **High Contrast, Auto Brightness LED battery voltage meter.**
- **On/Off switch for Meter.**
- **Battery status LED** - Several controllers do not tell you what's going on - This one does!
- **Push to test.** - Ever wonder if your controller & load are working OK?
- **Steel enclosure** - with two conduit openings.
- **Large terminal blocks** - that can handle up to # 6 wire.
- **Very efficient and cool running switching power supply.**
- **Versions 4.0 and greater now have reverse polarity protection.**
- **Versions 4.2 and greater now have an extended diversion mode (EDM.)**
- **Ability to divert the source** from the batteries to the load, or dump both the batteries along with the source.
- **Can be used with both wind and solar (at the same time.)**

Current handling capabilities are based on the mode of the controller and the battery system voltage.

The C160/C160M can handle 160 amps total current flow in the diversion mode when used in a 12-volt battery system, 120 amps in a 24-volt system. Solar mode maximum current handling capability is 120 amps for a 12-volt system and 100 amps when used with a 24-volt system.

Maximum continuous solar charge wattage should not exceed 2800 watts.

Some specifics

High contrast LED meter displays battery voltage directly, allowing you to clearly see the status of your battery bank. The meter has an auto-brightness feature that automatically dims in low light conditions. An on/off switch allows you to turn the meter off when it is not needed.

Microprocessor controlled. The microprocessor is the heart of the controller. It is given the battery voltage and the user changeable trip points. This information is analyzed and acted upon by the microprocessor. The battery level is checked and based on that information the Green LED flashes or is illuminated as follows:¹

- 1 - (One) Flash indicates the battery is less low -- less than 12 volts (Double for 24 volt systems.)
- 2 - (Two) Flashes indicates the battery is 12 to 12.3V
- 3 - (Three) Flashes indicates the battery is 12.4 to 12.7v (A fully charged lead acid battery at rest)
- 4 - (Four) Flashes indicate the battery is 12.8 to 13.1V
- 5 - (Five) Flashes indicates the battery is above 13.2V but less than 13.5V

Steady green means the battery is full

Settings are adjustable. Changing the trip point will alter the flashing levels of the green Led.

The red LED is illuminated when the battery is being dumped at 14.5v or the charge source diverted. The dump remains active for a minimum of 5 seconds, at which time it is checked by the microprocessor. If battery voltage drops below the "Dump Cancel" level (about 13.4-13.6 volts), then the dump is disabled, otherwise the dump is continued and rechecked every 5 seconds. (Please see the discussion on EDM for extended diversion mode performance.

When you click the "TEST" push-button - the 5 second cycle is started (one time, unless the batteries are within the "Dump start" and "Dump Cancel" zone.)

Settings are user changeable! By simply turning a simple potentiometer with a small screwdriver, you can quickly adjust the trip point.

High amp rating -- 160 Amps! -- This is a big controller.

About wire size -- 160 amps is a lot of current! -- The terminal blocks inside the case will handle #6 wire and are better used for switching loads of 60 amps or less. If your system will likely run at the high end, then a better connection is to simply disconnect the black and red wires from the terminal blocks and terminate them directly to your larger wire via a wire nut or compression lug etc.

Version 4.0 now offers reverse polarity protection: This unit is protected against accidental reverse polarity battery sense connections. (The + and – input leads.); however, please use caution when hooking up your wires to insure you do not contact any of the components on the circuit board with a “Live” wire. **Damage is very likely should a wire contact a component.**

¹ This information is for a 12 volt system. It will be double for a 24 volt system, etc.

About load diversion (For wind/hydro turbines)

The basic operating philosophy of a diversion controller is quite simple. Monitor the battery voltage, and if it should rise to a predetermined level, connect a diversion load or “Dummy Load”, of sufficient size, to the battery or energy source to prevent the battery voltage from increasing any further. This is a very simple, yet very effective way of preventing battery overcharging. All alternate energy systems should have some form of battery overcharge protection.

Several schools of thought on the subject.

1. The source of power (wind turbine, solar panels etc.) -- should remain connected to the batteries while the dump load controller is actively dumping the excess voltage.
2. The source should be diverted to the load directly and disconnected from the batteries.

We happen to believe that is far better to leave the wind turbine connected to the batteries at all times. Why? When you remove the battery level voltage from a wind turbine and send it's power directly to a load, and then it sees for all practical purposes a short circuit (depending on the resistance of the load and lead wires.) This may cause the turbine blades to slow dramatically and in some cases bring it to a halt. This braking action can cause heat build up in the stator if it is repeated every few seconds or so (if the battery is just a little over the top). **When you allow the turbine to see the batteries, along with the load, the turbine remains more within its design realm --** always a good thing.

This controller is designed to allow the turbine to be hooked up directly to the batteries, and is not disconnected when the batteries become charged.

Diversion Load Types

A diversion load needs to be larger (by at least 10-20%), than the sum total of all your solar/wind/hydro charge sources combined that will be routed through the diversion load. When the diversion load is too small, battery voltage may continue to rise even when the diversion is active. It is also important to use a load that is not likely to fail. Light bulbs and similar such loads are not good diversion (dummy) loads, since they will fail and you may be left with no method to dump the excess energy going into your batteries.

It is commonly thought that a standard 120vac, 2000 watt heating element (readily available from your local hardware store), would make a good load; however, in reality, they are not well suited, as it takes several of these elements to actually be effective in lower voltage systems. A 2000 watt, 120VAC element will not dissipate 2000 watts at lower voltages. You will need to install multiple elements in parallel to achieve the desired load specifications.

Please use the following chart as a quick guide in using a 2000-watt, 120 VAC heating elements.

60Vdc dump (48Vdc system) -- 500 Watts -- 8.3 amps
30Vdc dump (24Vdc system) -- 125 Watts -- 4.2 amps
15Vdc dump (12Vdc system) -- 35 Watts -- 2.1 amps
120Vac -- 2000 Watts, at 16.7 amps

Basically, a standard 2000-watt, 120 VAC element, in a 12-volt system will only dissipate 35 watts.

Water heating elements designed specifically for 12, 24 and 48-volt systems are by far a better choice.

A very acceptable diversion load is a power resistor. These can be obtained via the www.ColemanAir.us website. Various wattages are available as either completed load centers or individual power resistors.

Product Code: L675W12V



45A/12V 675 Watt Diversion Dummy Load Resistor Heater -- For 12 volt systems

Product Code: 2R100W



2 Ohm, 100 Watt power resistor for 12v systems.

Place multiple resistors or load centers in parallel for a higher wattage load. When you place the same value resistors in parallel, you double the wattage rating, and $\frac{1}{2}$ the resistance. This is a safe method of doubling the wattage/amperage handling capability of your diversion load.


Note: you cannot simply use a lower value resistance without also increasing the wattage rating of your resistor. For instance, attempting to use a single 100 watt power resistor of 1 ohm on a 24 volt battery system (30v dump), will result in the dissipation of 900 watts, however the resistor is only rated at 100 watts and will be destroyed. Please refer to Ohms law for more information on resistance verses amps.

A diversion load is not required for solar only systems.

Please visit our online store for a selection of diversion loads, diodes and rectifiers.

Please note: this controller does not include a blocking diode nor an A/C to D/C rectifier, as these are specific to your application. If you are using the controller with a DC turbine or solar panels, you may need to purchase a blocking diode. A/C turbines require rectification from A/C to D/C.

Standard wiring for 12v and 24v battery banks



This is the most common wiring for the C160/C160M controller. To use this wiring:

- 1) Install a jumper between the two rightmost terminals (of the controller.)
- 2) Hookup the positive side of your load (and fuse), to the leftmost terminal (of the controller.)
- 3) Hookup the negative side of your load to the negative post of your battery bank.
- 4) Run a wire from the positive post of your battery bank to the positive terminal (2nd from right) – A breaker is highly recommended.
- 5) Run a wire from the negative post of your battery bank to the negative terminal (3rd from right..)
- 6) Hookup your turbine directly to your batteries via a breaker (or fuse), disconnect switch and blocking diode or rectifier as applicable.

Please note: this controller does not include a blocking diode or an A/C to D/C rectifier, as these are specific to your application. If you are using this controller with a DC turbine or solar panels, you may need to purchase a blocking diode. A/C turbines require rectification from A/C to D/C.

Standard Disconnect Wiring for 12 and 24 volt systems.

Disconnect Wiring Diagram

Caution:
Disconnect solar Input
before disconnecting the
controller from the batteries.

Disconnect the controller
from the batteries before servicing.

Solar Array - Open collector voltage
should not exceed double your battery
system nominal voltage.



D/C disconnect
and breaker
or breaker with
manual disconnect/reset

Blocking
Diode

Breaker should not exceed 120 amps for 12 volt system
and 100 amps for a 24 volt system

C160/C160M



Lift the two red and white wires
from the outer positions of the PCB
and terminate directly to your
wire when working with loads
larger than 60 amps.

Use the two white wires
(As drawn in)

Add this jumper (shown in white)
The two outer terminal positions
have no connectivity to the PCB

When the batteries reach the trip point,
the relays are activated which
opens the charging circuit.

(+)

Battery
Bank

(-)

Use this wiring for 12 or 24 volts

Wires shown that cross each other are not connected together


Note: Wind and hydro turbines should not be hooked up via this wiring method
as they normally need to remain under a load while operating.

For Wind/Hydro, please wire the controller as a diversion controller.
See the graphic for Standard Diversion Control Wiring.

You will find the white wires tucked up under the other wires at the top of the controller.

1. Disconnect the black wires from the rightmost terminal position.
2. Locate the 2 white wires, strip the ends about 5/8" and terminate them to the rightmost terminal.
3. Tape the ends of the 2 black wires and tuck them up under the other wires on the top of the compartment.
4. Place a jumper between the rightmost terminals as shown above.
5. Terminate the negative wire from your solar panel to the negative post of your battery bank.
6. Hookup your battery to the + and - terminals of the controller (use a breaker or fuse on the positive leg.)
7. Terminate the positive wire from your solar panel (via a fuse/breaker) to the leftmost terminal. Please see the note on the bottom of page 8 about splitting the load for solar panels.

Dual Control for wind (or hydro) and solar.



You will find the white wires tucked up under the other wires at the top of the controller.

- 1) Locate the 2 white wires, strip the ends about 5/8" and twist together with a wire nut to the positive wire from your solar panel. (* 1, * 2)
- 2) Place a jumper between the + terminal of the controller (2nd from the right) and the leftmost terminal as shown above.
- 3) Terminate the negative wire from your solar panel to the negative post of your battery bank.
- 4) Hookup the positive side of your load (and fuse), to the rightmost terminal (of the controller.)
- 5) Hookup the negative side of your load to the negative post of your battery bank.
- 6) Run a wire from the positive post of your battery bank to the positive terminal (2nd from right) (via a breaker)
- 7) Run a wire from the negative post of your battery bank to the negative terminals (3rd from right.)
- 8) Hookup your turbine directly to your batteries (via a blocking diode or rectifier if applicable.) as well as a breaker.

*1: Blocking diodes are required for solar panels to prevent discharge at night. They are often installed on the back of the panels. Please review the installation instructions for your solar panels. The drawing above shows a larger blocking diode inline with the wire going to the controller; you may also install the blocking diode in this manner as well. A fuse or braker is recommended for safety. Please use a fuse of no more than 120 amps, in a 12v system, and 100 amps for 24v.

Please note: this controller does not include a blocking diode nor an A/C to D/C rectifier, as these are specific to your application. If you are using the controller with a DC turbine or solar panels, you may need to purchase a blocking diode. A/C turbines require rectification from A/C to D/C.

***2 Important:** If your solar panels charge current will exceed 60 amps, then it is recommended that you split the current flow through the relays by hooking up ½ of your panels to one white wire and the other ½ to the other white wire. This will ensure that no single relay is forced to carry more than its rated load should one relay engage or disengage prior to the other. (**Split the red wires** up if using the standard disconnect drawing on page 7.)

Extended Diversion Mode -- EDM

The basic operating philosophy of a diversion controller is quite simple. Monitor the battery voltage, and if it should rise to a predetermined level, connect a diversion load, of sufficient size, to the battery or energy source to prevent the battery voltage from increasing any further. The amount of time the diversion load is connected is generally only 10 to 30 seconds. In this amount of time, the battery voltage will have dropped enough to be back in the normal region. The controller will continue to engage and disengage the relays as often as necessary to prevent battery overcharge. This is the normal mode of operation. The microprocessor uses several advanced algorithms to prevent rapid relay cycle, yet it is common for the relays to be engaged and disengaged a few times a minute. This constant attention keeps the batteries very close to (or just below) the trip point you have set.

There are however, situations where you would really like the controller to engage the relays for a longer period of time once the batteries get to a “Full” state. This is what we call Extended Diversion Mode. When you enable this mode (see jumper settings below), and the batteries reach the trip point you have set (the same trip point as the normal mode), the control will engage the relays for approximately five minutes or until our batteries are depleted by 15%, which ever comes first.

The EDM mode is very useful for running such items as water pumps or small grid tie inverters that you do not want turning on and off every few seconds. When you enable the EDM mode, the wiring remains the same; the difference is that the load you connect will be engaged for a longer period of time.

It is very important that the load you choose is 100% dependable if this controller is being used to prevent battery overcharge. If the load is not present, then your batteries will overcharge. Grid-tie inverters are not a load if the grid fails (power outage due to thunderstorm etc.). Such a loss of load can also cause damage to your wind turbine if it depends on this load.


If you will be using the EDM mode with a load that may not be present at all times, then it is important that you have another controller in parallel that is also monitoring the system with a slightly higher trip point. This second, failsafe controller will then divert the excess energy to a diversion load that is 100% dependable should the 1st controllers load not be present or capable of disbursing all of the excess energy.

As in the case with the normal mode, the load you connect cannot exceed the capacity of the relays. Do not attempt to hookup highly inductive loads (motors larger than 10 amps per relay), as the relays will be damaged due to high currents during the motor start.

Important. Pressing the test button with the EDM jumper set, may at times engage the relays for a full 5 minutes. This is especially true if you have pressed the test button for a very short time or have pressed it repeatedly.

Jumper Settings: Changing from 24 volt to 12 volt operation.

To set the controller for use with a 12 volt system, place the jumper in the 1st position, closest to the large terminal block.



For a 24 volt battery bank, set the jumper in the 2nd position. (As shown in the image above.)

Position 3 is not used.

Position 4 enables the EDM mode. This mode can be used with both 12 and 24 volt modes. As shipped, this jumper will be hanging one terminal only. We have shipped it in this manner so the jumper is available to you but not actually being used. To enable EDM, place the jumper across both of the pins on the end of the jumper. (Farthest from the larger terminal block)

Note: The board shown above is an older version, yet the jumper locations are identical.

Calibrating the Diversion Controller.

The factory using the following settings has already calibrated the controller.

The green led indicates the voltage level of the battery.

- 1 - (One) Flash indicates the battery is less low -- less than 12 volts (Double for 24 volt systems.)
- 2 - (Two) Flashes indicates the battery is 12 to 12.3V
- 3 - (Three) Flashes indicates the battery is 12.4 to 12.7v (A fully charged lead acid battery at rest)
- 4 - (Four) Flashes indicate the battery is 12.8 to 13.1V
- 5 - (Five) Flashes indicates the battery is above 13.2V but less than 13.5V

Steady green means the battery is full

The Red LED is illuminated when the battery has reached a voltage level of 14.5v or higher

Please note: A battery at rest will have a lesser voltage than a battery that is receiving a charge current. A fully charged lead acid battery that is not receiving any charge current, and not running any loads (**the battery is at rest**) **will show 3 flashes**. This same fully charged battery receiving a charge current (of at least 13.5 volts) would show a steady green light.

If you would like to change the dump level trip point, please use the following procedure.

If you own a variable voltage power supply, then the following procedure is recommended.

Note: Disable the EDM Jumper, while calibrating.

- 1) Turn the dump level potentiometer fully counter clockwise.
- 2) Set the voltage of the power supply to the desired dump level trip point (for instance 14.2 volts)
- 3) Slowly turn the dump level potentiometer clockwise until the green LED is illuminated steady.
- 4) Pause for at least 5 seconds, then slowly continue to turn the dump level potentiometer clockwise until the red LED is illuminated.
- 5) Lower the voltage of the power supply by at least one volt.
- 6) Slowly turn the voltage of the power supply up until the red LED is illuminated, checking to see if you achieved your desired setting. Please note; the input level is only checked once every 5 seconds while the green LED is flashing, and only once every second while the green LED is steady, so you must make very slow adjustments during this procedure. If you feel you have passed your set point, then restart the procedure. Turning off the power supply to force all voltages to be dissipated, can be very helpful.

Please note: Changing your dump level set point will also change the voltage levels for which the green LED flashes.

If you do not own a variable voltage power supply, or would rather set the controller while it is installed, then if you have an inverter that is able to set the float or bulk charge voltage of the battery bank to a particular level, use the inverter as your variable voltage supply.

If you do not have an inverter that is capable of this, then you will need to cause your batteries to be brought to desired dump level trip point via your wind/solar/hydro energy source. Then once they have achieved this set point, turn the dump level set point potentiometer fully counter clockwise. Wait 15 seconds, or until the green LED is flashing no more than 3 times. Then slowly turn the same potentiometer clockwise until the green LED is illuminated steady. Wait 5 seconds, then, slowly turn the same potentiometer until the RED is illuminated.

Note: The 24 volt trim potentiometer is set by the factory to insure both the 12v and 24v settings are the same. This pot does not need to be adjusted by the user due to the fact you are only concerned with the trip point on your specific battery bank, and will not be concerned if it remains correct for other size battery banks.

www.ColemanAir.us

Made in the U.S.A.

All of the content contained in ColemanAir.us and mirroring websites as well as ColemanAir.us Instructional Material are subject to copyright, trademark, service mark, trade dress and other intellectual property rights or licenses held by Coleman Air Parts. Your use of the trademarks, service marks, trade dress and copyrighted material and intellectual property displayed on this website and Instructional Material is strictly prohibited. You may download, print and store selected portions of the Content, provided you (1) only use these copies of the Content for your own personal, non-commercial use, (2) do not copy or post the Content on any network computer or broadcast the Content in any media, and (3) do not modify or alter the Content in any way, or delete or change any copyright or trademark notice. No right, title or interest in any downloaded materials is transferred to you as a result of any such downloading. ColemanAir.us reserves complete title and full intellectual property rights in any Content you download from this Web site or derived from our Instructional Materials. Except as noted above, you may not copy, download, reproduce, modify, publish, distribute, transmit, transfer or create derivative works from the Content.

Some electronic components have been imported.

Technical specifications and further information is available at www.ColemanAir.us